

Stafford: 01785 252 846

www.parkhousevets.co.uk

108 Lichfield Road, Stafford Staffordshire, ST17 4ER



#### **Practice Facilities**

- Privately owned, non-corporate practice
- RCVS accredited
- · Large on-site car park
- Disabled parking and access
- Experienced and caring team
- Spacious open plan reception and waiting areas
- Flexible appointment times available
- Separate cat and dog wards
- Isolation ward
- Comprehensive medical and surgical facilities
- Extensive range of diagnostic equipment including radiography, ultrasound and endoscopy
- In-house laboratory
- 24 hour emergency service

### **Opening Times**

All surgeries are by appointment

*Monday - Friday:* 8.00 am - 7.00 pm

Saturday:

8.30 am - 12.00 pm

## Topics in this issue:

- Parasites: Don't get caught on the hop!
- Focus on tick-borne diseases
- Autumn aches
- Lumb alert!
- Autumn bazards!



24 Hour Emergency Service 7 01785 252846

# Parasites: Don't get caught on the hop!



Although we will doubtless be battling the effects of Covid-19 for some considerable time, it's worth remembering that the parasites that can make our pet's lives a misery have not been on lockdown and have been merrily breeding in the warmer summer months. With Autumn now upon us, we take a look at two of the biggest offenders and

what you can do to protect your pet and your home!

Fleas love the warm weather, and in addition to your home, they thrive outside in parks and gardens. Here, any dormant flea eggs from last year will rapidly hatch out into adult fleas. These hop onto passing pets, bringing dozens of these tiny pests back into your home. Adult fleas feed on your pet's blood, causing a range

of problems including itchy skin, rashes and hair loss.

Worse still, they hop off our pets and make their home in pet beds, carpets and soft furnishings, where the flea life-cycle is perpetuated.

#### **Checking for fleas**



Whilst it is often difficult to find live fleas, specks of flea "dirt" (faeces) in the coat points to a flea problem.

#### **Removing ticks**

Attached ticks with buried mouthparts are often found whilst grooming your pets. Ticks are best

removed with a specially designed tick hook with a twisting action.



The best way to prevent fleas is year-round treatment for all your pets with veterinary-licenced flea products. These are extremely effective at killing fleas and they kill them *before* they lay their eggs, thus preventing house infestations. Some work even before they bite (vital for sensitive pets) and some can have an effect on the environment as well. Many veterinary spot-ons are multipurpose and will kill other parasites including scabies, ear mites, ticks and worms. Our staff are able to recommend the best treatments for your pets.

**Ticks** are another seasonal problem. As the summer turns into the Autumn, so tick numbers are at their highest. Ticks live in long grass and woodlands, waiting to attach themselves to passing pets, and feeding off their blood for several days. Unlike fleas, ticks are not itchy, but can spread a range of diseases. These are discussed in further detail below this article.

The good news is that current evidence suggests that tick-borne diseases take many hours after tick attachment to be transmitted. Using a product that rapidly kills or repels ticks will help to reduce the risk of these diseases. No tick product is 100% effective however, so pets should also be checked for ticks every 12-24 hours and, any found, removed with a special tick remover.

If you would like further information on flea and tick prevention, or parasite prevention more generally, please ask a member of our practice team – we are happy to help.

## Focus on tick-borne diseases



As mentioned above, ticks can spread a range of deadly diseases which pose serious health risks to both pets *and* humans. The major ones are:

**Lyme disease**, also called borreliosis, is spread by ticks; affected pets (and also humans) can develop swollen joints and stiffness. They can also develop a fever, anorexia and lethargy. In some cases the disease causes life-threatening kidney disease. **Babesiosis** (caused by *Babesia* 

*canis*) is an emerging tick-borne disease, destroying red blood cells and causing acute signs of anaemia in affected dogs. **Erlichiosis** also attacks red blood cells and can be fatal.

Both Babesiosis and Erlichiosis are particularly prevalent abroad, so if you take your dog abroad on holiday, it is essential to protect them against ticks.

We are here to help – our team are here to advise you on the best products to kill or repel ticks and also reduce the risk of tick-borne diseases. Please don't hesitate to get in touch!





# **Autumn aches**

For some pets, fewer walks in lockdown has lead to them gaining some unwanted extra weight. Did you know carrying extra weight puts a strain on organs such as the heart and lungs, and especially the joints?

Why is this important? Because if your pet has arthritic joints, excess weight will make the problem worse.

The joints that are most susceptible to arthritis are those permitting free limb movements – called synovial joints. Examples are the elbow, knee and hip joint. The ends of the bones that meet at these joints are covered by very smooth articular cartilage.

Arthritis develops when this cartilage becomes roughened and cracked. Most commonly this is due to general ageing, but poor joint conformation, e.g. hip dysplasia, will make things worse and often cause problems earlier in life. Cartilage damage results in exposure of the underlying bone, causing joint pain.

Signs of arthritis can be subtle at first, and often changes such as resting or sleeping more.

> slowing down on walks or general grumpiness can be easily put down to 'old age'. Cats can also suffer from arthritis, with many surveys estimating between 60-90% of elderly cats being affected.

### X-rays and arthritis

Radiography is commonly used to investigate joint problems.



X-ray of a normal hip joint note the perfectly formed "ball and socket" joint of the hip joint.



Arthritic hip joint in a dog with hip dysplasia. Note the very shallow ball and socket joint and the secondary new bone around between the toes the joint (arrowed in yellow)

**Autumn hazards!** 

As we get out and about more in the wake of the Covid-19 crisis, it's worth being aware of the range of Autumn hazards faced by our pets. With this in mind, here are a few topical tips:

Pesky parasites: We have covered fleas and ticks elsewhere in this newsletter, but another important parasite to be aware of are Harvest Mites, which are a problem in the late-summer



The bright orange mites often cluster together and are commonly found

and Autumn. These very seasonal parasites are picked up in woodland and long grasses and swarm onto passing pets where they tend to congregate on the ears. eyelids, feet and the underside of the abdomen.



They are identified as tiny bright orange dots adhering tightly to the skin and are usually a cause of great irritation with itchy, crusting lesions developing. So – make sure you regularly check your pet's coat for any signs of parasites and let us advise you on the best treatments for your pet.

Toxins: Around the house and garden, keep a wary eye out for toxins at this time of year. Pets are very attracted to ethylene glycol

(antifreeze) which is easily spilt when topping up car radiators. It is very sweet tasting and extremely toxic to pets, causing kidney



is **deadly** to pets

failure and often death. In the garden, try to ensure pets don't eat fermenting apples and also conkers - both of which can lead to quite severe digestive upsets.



Snails: Also try to stop your dog eating the last of the slugs and snails in the garden, since these can spread the lungworm

Angiostrongylus vasorum.

Seasonal Canine Illness is a rare, but serious, condition and is most commonly diagnosed between August and November. The cause is unknown but affected dogs become very poorly with sickness and diarrhoea soon after walking in woodland. Please get in touch at once if your pet develops any symptoms resembling this rare condition.

Finally, enjoy the Autumn and take care!

So – if you are worried your pet is showing signs of arthritis, please get in touch! Arthritis is usually diagnosed with a combination of a clinical examination (looking for stiffness, pain and roughness in the joints), plus a history of changes compatible with the disease. X-rays can also be very helpful – confirming the degree of bone changes and allowing assessment of the joints affected.

So what can be done for pets with arthritis? It's important to understand that arthritis cannot be cured, but the measures below aim to improve the lives of arthritic pets. Weight loss can make a huge difference to many affected pets, as they are often overweight. Regular gentle exercise is also important, and it helps if it is consistent (i.e. the same amount of exercise twice daily, every day) whilst physio exercises can aid mobility. Joint supplements containing glucosamine may be helpful, but the majority of pets also benefit from anti-inflammatory pain relief medication.

Please get in touch if you think your dog or cat may be showing signs of arthritis. and let us help you get the spring back in their steps!



# **Lump alert!**

Lumps and bumps come in a variety of shapes and sizes and can be picked up by regular grooming (also excellent for looking for fleas, ticks and other parasites!). If you notice a skin lump, it's important to get in touch so we can assess it.

Lumps can have several underlying causes including: allergic reactions (such as insect bites), abscesses, hernias (often seen in younger pets) and tumours.

Tumours are understandably the most worrying and are either benign (tend to be slow growing and stay in one place), or malignant (which are often fast growing and can spread).

As with many conditions, speed is of the essence and a delay in starting the appropriate treatment can be the difference between a small treatable mass and a much larger one which is harder to deal with.



Skin lump on a dog Skin lump on a cat

Lumps may vary considerably in

appearance. Some are fairly obvious (such as the photos above), whilst others are much harder to detect.